

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Devac Daily

Recommended Use: Dental Evacuation Cleaner Product Code: 040232 (6x1L)

Whiteley

Postal Address: P. O. Box 1076 North Sydney NSW 2059 Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077

Web: www.whiteley.com.au

Emergency Telephone Number: Poisons Information Centre (National) 13 11 26

Distributed in New Zealand by:

Whiteley Corporation NZ Limited

Address: PO Box 22-519 Otahuhu, Auckland, New Zealand 1640 Telephone Number: 092737313, 0800 257 352

Emergency Telephone Number: New Zealand Poisons Centre 0800 POISON (0800 764 766)

Section 2: HAZARDS

GHS Classification

Skin Corrosion (Category 1) Metal Corrosion (Category 1)

Signal Word DANGER



Hazard Statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

Precautionary Statements

P234	Keep only in original container
P260	Do not breathe dusts or mists
P264	Wash hands thoroughly after using
P280	Wear protective gloves/protective clothing and eye protection

Response Statements

P301 +	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P330 +	
P331	

Issue No. 1 Page 1 of 6

SAFETY DATA SHEET Devac Daily

P303 +	IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.
P361+	
P353	
P304 +	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable
P340	for breathing.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
P351+	if present and easy to do. Continue rinsing.
P338	
P310	Immediately call a POISON CENTRE or doctor/physician.
P363	Wash contaminated clothing before reuse
P390	Absorb spillage to prevent material damage

Storage Statements

_	<u>'</u>		
F	P405	Store locked up	

Disposal Statements

P501	Dispose of container as per local regulations	

HSNO Classifications

THE CONTRACTOR OF THE CONTRACT		
8.1A	Substances that are corrosive to metals	
8.2C	Substances that are corrosive to dermal tissue	
8.3A	Substances that are corrosive to ocular tissue	

Section 3: COMPOSITION INFORMATION

Ingredient	CAS No	Proportion
Sodium metasilicate	6834-92-0	<10%
Dimethyldioctylammonium chloride	5538-94-3	<10%
Ingredients deemed not to be hazardous	Not applicable	To 100%

Section 4: FIRST AID			
Eye (Contact)	Hold eyelids apart and flush the eye continuously with running water. Immediately call a Poison Centre or doctor/physician.		
Skin (Contact)	Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs seek medical advice. Wash contaminated clothing before reuse.		
Inhalation (Breathing)	Remove promptly to fresh air. Apply artificial respiration if not breathing.		
Ingestion (Swallowing)	DO NOT induce vomiting. Give water to drink if conscious. For advice, contact a Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor/physician.		
Advice to Doctor	Treat symptomatically for highly alkaline detergent.		
First Aid Facilities	Ensure an eye wash and safety shower are available and ready for use.		

Issue No. 1 Page 2 of 6

SAFETY DATA SHEET

Devac Daily

Additional Information

No aggravated medical conditions are known to be caused by exposure to this product.

Section 5: FIREFIGHTING MEASURE

Suitable Extinguishing Media

Solution does not burn. Use extinguishing media suited to the materials that are burning. eg. Dry chemical, CO₂ or water spray.

Hazards from Combustion Products

Carbon dioxide, carbon monoxide, nitrogen oxides and other toxic gases may be produced in the case of fire or during thermal decomposition. Corrosive alkali vapours may be present.

Precautions for Fire Fighters and Special Protective Equipment Fire-fighters must wear full protective clothing including self-contained breathing apparatus and chemical splash suit. Ensure that no spillage enters drains or water courses. Remove from the vicinity containers not involved in the fire.

Additional Information

Hazchem Code – 2R

May generate flammable hydrogen gas if in contact with zinc, tin, magnesium or aluminium.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure

SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide (Guide 37) – for large volumes.

Spills / Clean up

Clean up personnel should wear full protective clothing. Restrict access until completion of clean up. Then ensure adequate ventilation. Stop leak if safe to do so. Contain spill with absorbent material, such as toweling, sand, vermiculite or other inert material. Prevent spill entering stormwater drains or waterways. Collect and dispose of clean up material according to local regulations. Wash away remnants with copious amounts of cold water to sewer. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling Contact Whiteley Corporation sales representative for advice when using this product for any application other than that outlined on the label or technical bulletin.

Any non-intended or non-authorised use of this product may result in personal injury or damage to equipment.

Store product in original container.

Wash hands thoroughly after handling product.

Conditions for Safe Storage

Store in a cool, dry, well ventilated area. Keep container tightly sealed.

Issue No. 1 Page 3 of 6

SAFETY DATA SHEET Devac Daily

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003] & New Zealand Workplace Exposure Standards 2002.

<u>Ingredient</u> <u>CAS No</u> <u>ES-TWA</u> <u>ES-STEL</u> Sodium Hydroxide 1310-73-2 2 mg/m³ -

Biological Limit Values No data available.

Engineering Controls Use only in a well-ventilated area.

Personal Protective Equipment

Eye/face protection – Safety glasses / face shield / chemical resistant

goggles should be worn to prevent eye contact.

Skin protection – Use Nitrile gloves or similar to prevent skin contact. Respiratory protection – Respirator is not usually necessary but if required use a half face filter respirator suitable for organic vapours.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	Clear light blue liquid	Odour	Characteristic
Odour Threshold	No data available	рН	>13
Freezing Point	Approx. 0°C	Initial Boiling Point	Approx. 100°C
Boiling Range	No data available	Flash point	No data available
Evaporation Rate	No data available	Flammability	No data available
Upper flammability limit	No data available	Lower flammability limit	No data available
Vapour Pressure	No data available	Vapour Density	No data available
Relative Density	1.024	Solubility	Completely miscible with water
Partition Coefficient: n-octanol/water	No data available	Autoignition temperature	No data available
Decomposition temperature	No data available	Viscosity	Approx. 20 cPs

Section 10: STABILITY AND REACTIVITY

Chemical Stability Product is stable and will not undergo any hazardous reactions under

normal conditions of use and storage.

Conditions to avoid Avoid high temperatures (store below 30°C).

Incompatible materials Incompatible with aluminium, tin, zinc, magnesium and their alloys.

Also incompatible with acid, fertilizers, chlorinating compounds,

brominated compounds and nitrated hydrocarbons.

Issue No. 1 Page 4 of 6

SAFETY DATA SHEET Devac Daily

Hazardous decomposition

products

None known.

Hazardous reactions

May react with aluminium, tin and zinc to produce flammable

hydrogen gas.

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity Sodium Hydroxide: LD₅₀ 40mg/kg (Intraperitoneal, mouse)

RTECS WB4900000

Tetrasodium EDTA: LD₅₀ 330mg/kg (Intraperitoneal, mouse)

RTECS AH5075000

Dimethyldioctylammonium chloride: LD₅₀ 238 mg/kg (oral, rat), 259

mg/kg (dermal, rabbit)

Skin corrosion/irritation Product causes irritation, pain and reddening on skin contact. Serious

burns may result if the affected area if product is not removed

immediately by thorough washing with water.

Serious eye damage/

irritation

Product causes irritation, pain and reddening on eye contact. Serious,

permanent eye damage may result if not treated immediately.

Respiratory or skin

sensitisation

No data available.

No data available.

No data available. No data available.

Germ Cell Mutagenicity

Carcinogenicity
Reproductive toxicity
Specific Target Organ

Toxicity – Single Exposure

Specific Target Organ Toxicity – Repeated

Exposure

Lxposure

No data available.

No data available.

Aspiration Hazard No data available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity
Persistence and

degradability

No data available.

No data available.

Bioaacumulative potential

Mobility in soil
Other adverse effects

No data available. No data available. No data available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal method Disposal to sewer is normally recommended with copious amounts of

water.

Refer to State/Territory Land Waste Management Authorities if applicable. Containers are recyclable and can be disposed of by a licensed waste contractor. Containers can be disposed of to general

waste or rinsed thoroughly and recycled.

Special precautions Suitable for incineration by approved agent.

Issue No. 1 Page 5 of 6

SAFETY DATA SHEET

Section 14: TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number 1719

UN Proper Shipping Name CAUSTIC ALKALI LIQUID, N.O.S. (Sodium metasilicate)

Class and subsidiary risk 8 – Corrosive

Packing Group ||

Special precautions for Not applicable

Hazchem Code 2R

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSMP): 5

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

HSNO Approval Code: HSR002526

This document has been produced in accordance with the requirements of the Globally Harmonised

System of Classification and Labelling.

Section 16: OTHER INFORMATION

Date of 15 September 2022

preparation:

© This document remains property of Whiteley Corporation Pty Ltd.

 $Alterations \ are \ not \ permitted \ without \ prior \ written \ authorisation \ from \ Whiteley \ Corporation \ Pty \ Ltd.$

Issue No. 1 Page 6 of 6